



KNTECH

Product Catalog

bifem

Bifem Bilişim ve Güvenlik Ltd. Şti.
Kabil Cad. No: 83/B Çankaya / Ankara
Tel: +90 312 479 43 36 e-mail: info@bifembilisim.com

Hongkong Koon Technology Limited, which is the professional supplier in industrial telecommunications, is dedicated to engaging in research, development and selling various types of exclusive emergency telecommunication system.

KNTECH is national high & new technology enterprise, which is certified to owning high-tech products. Now we have products including IPPBX server, PAGA system, industrial SOS IP telephone, emergency call station, SIP intercom, as well as large network management command systems such as TR069, SNMP Modbus SIP protocol applied in metro, tunnel, airport, petrochemical, metallurgy, nuclear power, marine, bridge, mine, and other special industry.

Now we have owned factory in Dongguan, which is cover a large area of 8,500 square meters and registered capital 10 million US Dollar. Factory has established R&D center, machining spraying plant, integrated manufacturing base and obtained the international quality system ISO 9001. We are the only Asian enterprise passing IEC, IECEx, ATEX and EN50121 authentications in the industry. Our various products received the authentications from German TUV, European CE, USA FCC, ETL, and Saudi Arabian SASO.

We are the direct supplier and strategic partner of various well-known international corporations for years, such as Siemens, Thales, Huawei, ZTE, Avaya, Honeywell, Alcatel etc.

High standards and high quality, combined with our dedication to good products have helped KNTECH become a first-class international brand and win clients from over the world.



Model: KNSP-01T2S (Waterproof Telephone)

Material: Robust aluminium alloy die-cast body
 Size: 320*205*120mm
 Waterproof rating: IP65~IP67
 Application: Tunnel, metro, railway, LRT, speedway, marine, offshore
 Features:
 *Full keypad with memory, 10 button programmable speed-dial telephone
 *Vandal & tamper-resistant hardware, easy installation
 *Orient automatically and good self-closing door cover, convenience use
 *Magnetic reed hook-switch
 *Handset with industrial strong armored cord
 *Version: Analogue and VoIP optional



Model: KNSP-01T3J (Weatherproof Telephone)

Material: Robust aluminium alloy die-cast body
 Size: 320*205*120mm
 Waterproof rating: IP65~IP67
 Application: Tunnel, metro, railway, LRT, speedway, marine, offshore
 Features:
 *Full keypad with memory, 10 button programmable speed-dial telephone
 *Vandal & tamper-resistant hardware, easy installation
 *Orient automatically and good self-closing door cover, convenience use
 *Magnetic reed hook-switch
 *Handset with industrial strong curly cord
 *Version: Analogue and VoIP optional



Model: KNSP-03 (Railway Telephone)

Material: Robust aluminium alloy die-cast body
 Size: 320*205*120mm
 Waterproof rating: IP65~IP67
 Application: Tunnel, metro, railway, LRT, speedway, marine, offshore
 Features:
 *Hotline speed dial telephone with door cover
 *Vandal & tamper-resistant hardware, easy installation
 *Orient automatically and good self-closing door cover, convenience use
 *Magnetic reed hook-switch
 *Handset with industrial strong curly cord or armored cable optional
 *Version: Analogue and VoIP optional



Model: KNSP-04 (Tunnel Telephone)

Material: Robust aluminium alloy die-cast body
 Size: 320*205*120mm
 Waterproof rating: IP65~IP67
 Application: Tunnel, metro, railway, LRT, speedway, marine, offshore
 Features:
 *Handsfree telephone with speed dial push button
 *Two or three buttons optional
 *Vandal & tamper-resistant hardware, easy installation
 *Orient automatically and good self-closing door cover, convenience use
 *Version: Analogue and VoIP optional



Loudspeaking Telephone

Model: KNSP-08L
 Material: Robust aluminium alloy die-cast body
 Size: 320*205*120mm
 Waterproof rating: IP65~IP67
 Application: Tunnel, metro, railway, LRT, speedway, marine, offshore
 Features:
 *Full keypad with memory, broadcasting telephone with series and speaker
 *Vandal & tamper-resistant hardware, easy installation
 *Orient automatically and good self-closing door cover, convenience use
 *Magnetic reed hook-switch
 *Handset with industrial strong curly cord or armored cable optional
 *Version: Analogue and VoIP optional



Heavy Duty Telephone

Model: KNSP-09
 Material: Robust aluminium alloy die-cast body
 Size: 320*205*120mm
 Waterproof rating: IP65~IP67
 Application: Tunnel, metro, railway, LRT, speedway, marine, offshore
 Features:
 *Full keypad with memory, without telephone door
 *Vandal & tamper-resistant hardware, easy installation
 *Curly handset cord and armored cable optional
 *Magnetic reed hook-switch
 *Handset with industrial strong curly cord or armored cable optional
 *Version: Analogue and VoIP optional

Hotline Telephone

Model: KNSP-10
 Material: Robust aluminium alloy die-cast body
 Size: 320*205*120mm
 Waterproof rating: IP66~IP67
 Application: Tunnel, metro, railway, speedway, marine, offshore
 Features:
 *Hotline telephone without dialpad and door
 *Vandal & tamper-resistant hardware, easy installation
 *Curly handset cord and armored cable optional
 *Magnetic reed hook-switch
 *Version: Analogue and VoIP optional



Mining Telephone

Model: KNSP-11
 Material: Robust aluminium alloy die-cast body
 Size: 320*205*120mm
 Waterproof rating: IP66~IP67
 Application: Tunnel, metro, railway, speedway, marine, offshore
 Features:
 *Full metal keypad with memory, without telephone door
 *Vandal & tamper-resistant hardware, easy installation
 *Curly handset cord, armored cable optional
 *Magnetic reed hook-switch
 *Version: Analogue and VoIP optional





Model: KNSP-15MT (Industrial Intercom)
 Material: Robust aluminium alloy die-cast body, SUS304 panel
 Size: 320*205*120mm
 Waterproof rating: IP65~IP67
 Application: Tunnel, metro, railway, LRT, speedway, marine, offshore
 Features:
 *Handsfree telephone with two speed dial push buttons
 *Metal keypad keep waterproof and dusty proof
 *Vandal & tamper-resistant hardware, easy installation
 *Orient automatically and good self-closing door cover, convenience use
 *Version: Analogue and VoIP optional



Model: KNSP-16 (Outdoor Telephone)
 Material: Robust aluminium alloy die-cast body
 Size: 320*205*120mm
 Waterproof rating: IP65~IP67
 Application: Tunnel, metro, railway, LRT, speedway, marine, offshore
 Features:
 *Handset with industrial strong curly cord or armored cable optional
 *Sound level of ringing: over 70dB(A)
 *Vandal & tamper-resistant hardware, easy installation
 *Full keypad with memory, without telephone door
 *Magnetic reed hook-switch, with LCD display
 *Version: Analogue and VoIP optional



Model: KNSP-18 (Moisture Proof Telephone)
 Material: Sheet molding compound (SMC)
 Size: 290*205*117mm
 Waterproof rating: IP65~IP67
 Application: Tunnel, metro, railway, LRT, speedway, marine, offshore
 Features:
 *Full metal keypad with memory, 3 button programmable telephone
 *Vandal & tamper-resistant hardware, easy installation
 *Robust SMC 2600 glass fibre reinforced polyester die-cast body
 *Magnetic reed hook-switch
 *Handset with industrial strong armored cable optional
 *Version: Analogue and VoIP optional



Model: KNSP-18LCD (Harsh Environment Telephone)
 Material: Sheet molding compound (SMC)
 Size: 290*205*117mm
 Waterproof rating: IP65~IP67
 Application: Tunnel, metro, railway, LRT, speedway, marine, offshore
 Features:
 *Full metal keypad with memory, 3 button programmable telephone
 *Vandal & tamper-resistant hardware, easy installation
 *Robust SMC 2600 glass fibre reinforced polyester die-cast body
 *Magnetic reed hook-switch, with LCD display
 *Handset with industrial strong armored cable optional
 *Version: Analogue and VoIP optional



Self-checking Telephone

Model: KNSP-19
 Material: Robust aluminium alloy die-cast body
 Size: 320*205*120mm
 Waterproof rating: IP65~IP67
 Application: Tunnel, metro, railway, LRT, speedway, marine, offshore
 Features:
 *Self test for handset, keypad, mic, buzzer broken and enclosure opened
 *Vandal & tamper-resistant hardware, easy installation
 *Orient automatically and good self-closing door cover, convenience use
 *Magnetic reed hook-switch
 *Handset with industrial strong curly cord or armored cable optional
 *Version: Analogue and VoIP optional



Portable Trackside Telephone

Model: KNSP-26
 Material: GRP material by die casting
 Size: 274*255*163mm
 Waterproof rating: IP65~IP67
 Application: Tunnel, metro, railway, LRT, speedway, marine, offshore
 Features:
 *Hot line phone with a button to switch on and switch off the line
 *Portable telephone without keypad
 *Curly handset cord, armored cable optional
 *Magnetic reed hook-switch
 *Handset with industrial strong curly cord or armored cable optional
 *Version: Analogue and VoIP optional



VoIP SIP PCB Board

Model: KN518
 Size: 70*100*20mm
 Features:
 *Webpage up to 50+ IP station group/direct call without server
 *Adjustable sound volume
 *IP address sound reporting, LCD display optional
 *Supports SIP 2.0 protocol
 *Support WAN/LAN, duplex intercom, echo cancellation, upgrade online



VoIP SIP PCB Board

Model: KN519A
 Size: 100*170*20mm
 Features:
 *Support WAN/LAN, Duplex Intercom, Echo Cancellation, Upgrade Online
 *Support SIP 2.0 protocol
 *With HD camera
 *Web page up to 50+ IP station group/direct call without IPPBX
 *Adjustable sound volume
 *IP address sound reporting, RFID card function optional

GSM PCB Board

Model: KN520
 Size: 116.3*76*20mm
 Features:
 *Support 3G or 4G (optional)
 *Power supply: AC 110v/220v, 12VDC 1A or battery
 *GSM: 850/900/1800/1900MHZ, WCDMA: B1/B2/B5/B8
 *Function as telephone or intercom as required





Model: KNZD-03 (Handsfree Intercom)
 Material: SUS304 body
 Size: 210*150*60mm
 Waterproof rating: IP55
 Application: Metro, cleanroom, school, bank, elevator, parking etc
 Features:
 *Handsfree telephone with keypad
 *SUS304 keypad keep waterproof and dusty proof
 *Vandal & tamper-resistant hardware, easy installation
 *Wall mounted type installation, LCD display optional
 *Version: Analogue and VoIP optional



Model: KNZD-06 (Emergency Intercom)
 Material: SUS304 body
 Size: 210*150*60mm
 Waterproof rating: IP55
 Application: Metro, cleanroom, school, bank, elevator, parking etc
 Features:
 *Handsfree telephone with steel keypad
 *Auto-answer and auto-hang up
 *SUS304 keypad keep waterproof and dusty proof
 *Flush mounted type installation
 *Version: Analogue and VoIP optional



Model: KNZD-09 (Passenger Help Point)
 Material: SUS304 body
 Size: 240*160*40mm
 Waterproof rating: IP55
 Application: Metro, cleanroom, school, bank, elevator, parking etc
 Features:
 *Hands-free one push button to call
 *Auto-answer and auto-hang up
 *Induction loop, braille optional
 *Flush mounted type installation
 *Version: Analogue and VoIP optional



Model: KNZD-11S (Elevator Intercom)
 Material: SUS304 body
 Size: 170*130*60mm
 Waterproof rating: IP55
 Application: Metro, cleanroom, school, bank, elevator, parking etc
 Features:
 *Hands-free one push button to call
 *Auto-answer and auto-hang up
 *Vandal & tamper-resistant hardware, easy installation
 *Flush mounted type installation
 *Version: Analogue and VoIP optional



Cleanroom Telephone
 Model: KNZD-15
 Material: Stainless steel 304 body
 Size: 250*150*43mm
 Waterproof rating: IP55
 Application: Metro, LRT, cleanroom, school, bank, elevator, etc
 Features:
 *Handsfree telephone with steel keypad
 *Flat keypad keep waterproof and dusty proof
 *Vandal & tamper-resistant hardware, easy installation
 *Flush mounted type installation
 *Version: Analogue and VoIP optional



Video Help Point
 Model: KNZD-20
 Material: Stainless steel 304 body
 Size: 320*205*80mm
 Waterproof rating: IP55
 Application: Metro, LRT, airport, cleanroom, school, bank, elevator, etc
 Features:
 *Hands-free one push button to call
 *Auto-answer and auto-hang up
 *Support one way video call, built-in 3w speaker
 *With built-in HD camera, induction loop optional
 *Vandal & tamper-resistant hardware, easy installation
 *Flush mounted type installation, wall mounted optional
 *Version: VoIP

Emergency Help Point



Model: KNZD-16
 Material: Stainless steel 304 body
 Size: 560*195*38mm
 Waterproof rating: IP66
 Application: Metro, LRT, airport, school, hotel, elevator, etc
 Features:
 *Hands-free push button to call
 *Auto-answer and auto-hang up
 *Induction loop optional
 *Vandal & tamper-resistant hardware, easy installation
 *Wall mounted type, flush mounted optional
 *Version: Analogue, VoIP, GSM optional



Emergency Help Point

Model: KNZD-17
 Material: Stainless steel 304 body
 Size: 700*235*45mm
 Waterproof rating: IP66
 Application: Metro, LRT, airport, hotel, school, bank, elevator, etc
 Features:
 *Hands-free push button to call
 *Auto-answer and auto-hang up
 *Induction loop optional
 *Vandal & tamper-resistant hardware
 *Wall mounted type, flush mounted optional
 *Version: Analogue, VoIP, GSM optional



Model: KNZD-30 (Metro Intercom)
 Material: Stainless steel 304 body
 Size: 212*138*43mm
 Waterproof rating: IP55
 Application: Metro, airport, LRT, school, bank, elevator, etc
 Features:
 *Hands-free one or two push button to call
 *Auto-answer and auto-hang up
 *Induction loop optional
 *Wall mounted type installation
 *Version: Analogue and VoIP optional



Model: KNZD-36 (Elevator Intercom)
 Material: Stainless steel 304 body
 Size: 200*130*50mm
 Waterproof rating: IP55
 Application: Metro, airport, cleanroom, school, bank, elevator, etc
 Features:
 *Hands-free one push button to call
 *Auto-answer and auto-hang up
 *Induction loop optional
 *Wall mounted type installation
 *Version: Analogue, VoIP, GSM optional



Model: KNZD-37 (Video Intercom)
 Material: Stainless steel 304 body
 Size: 220*150*50mm
 Waterproof rating: IP55
 Application: Metro, LRT, airport, school, hotel, elevator, etc
 Features:
 *Hands-free one push button to call
 *Auto-answer and auto-hang up
 *With built-in HD camera, one way video call
 *Vandal & tamper-resistant hardware, easy installation
 *Flush mounted or wall mounted type optional
 *Version: VoIP



Model: KNZD-63/KNZD-63A (Clean room intercom)
 Material: ABS plastic
 Size: 205*105*30mm
 Waterproof rating: IP55
 Application: Clean room, pharmaceutical factory, hospital, chemical plant etc.
 Features:
 *Hands-free with keypad or one push button type optional
 *Auto-answer and auto-hang up
 *Flush mounted and wall mounted type installation optional
 *Version: Analogue and VoIP optional



Video Help Point

Model: KNZD-60
 Material: Stainless steel 304 body
 Size: 430*260*70mm
 Waterproof rating: IP65
 Application: Metro, LRT, airport, school, hotel, elevator, etc
 Features:
 *Hands-free push button to call, two way video communication
 *Auto-answer and auto-hang up
 *With TFT screen and built-in HD camera, induction loop, braille optional
 *Vandal & tamper-resistant hardware, easy installation
 *Flush mounted or wall mounted type optional
 *Version: VoIP



Video Help Point

Model: KNZD-70
 Material: Stainless steel 304 body
 Size: 340*330*60mm
 Waterproof rating: IP65
 Application: Metro, LRT, airport, school, hotel, elevator, etc
 Features:
 *Hands-free intercom with flat keypad
 *Auto-answer and auto-hang up, two way video communication
 *With TFT screen and built-in HD camera, induction loop optional
 *Vandal & tamper-resistant hardware, easy installation
 *Flush mounted or wall mounted type optional
 *Version: VoIP

Passenger Assistance Intercom



Model: KNZD-60M
 Material: Stainless steel 304 body
 Size: 220*300*70mm
 Waterproof rating: IP65
 Application: Metro, LRT, airport, hotel, elevator, etc
 Features:
 *Hands-free one push button to call
 *Auto-answer and auto-hang up,
 two way video communication, video uploading
 *With TFT screen and built-in HD camera, induction loop optional
 *Flush mounted or wall mounted type optional
 *Version: VoIP



Control Room Telephone

Model: KNZD-59
 Material: Stainless steel 304 body
 Size: 280*193*86mm
 Waterproof rating: IP55
 Application: Metro, LRT, airport, school, hotel, control room, etc
 Features:
 *Full metal keypad with memory, with LCD display
 *Vandal&tamper-resistant hardware, desktop type
 *Hands-free to make broadcast
 *With gooseneck microphone
 *Version: Analogue and VoIP optional



Model: KNZD-05/ KNZD-05LCD (Jail Telephone)
 Material: Robust cold-rolled steel body
 Size: 280*150*130mm
 Waterproof rating: IP55
 Application: Prison, bank, airport, school, railway , LRT, hotel, etc
 Features:
 *Metal keypad keep waterproof and dusty proof
 *Wall mounted type installation, LCD display optional
 *Handset with industrial strong armored cord
 *Color: Defaulted gray, other colors support customized
 *Version: Analogue and VoIP optional



Model: KNZD-53/ KNZD-55 (Vandalism Telephone)
 Material: Stainless steel 304 body
 Size: 110*110*55mm
 Waterproof rating: IP55
 Application: Prison, bank, airport, school, railway , LRT, hotel, etc
 Features:
 *Without keypad, auto dial when pick up the handset
 *Vandal & tamper-resistant hardware, easy installation
 *Wall mounted and flush mounted optional
 *Handset with industrial strong armored cord
 *Version: Analogue and VoIP optional



Model: KNZD-05LS (Inmate Telephone)
 Material: Robust cold-rolled steel body
 Size: 280*150*130mm
 Waterproof rating: IP55
 Application: Prison, bank, airport, school, railway , LRT, hotel, etc
 Features:
 *Metal keypad keep waterproof and dusty proof
 *Wall mounted type installation, with LCD display
 *Handset with industrial strong armored cord
 *Color: Defaulted orange, gray, other colors support customized
 *Version: Analogue and VoIP optional



Model: KNZD-14 (Hotline Telephone)
 Material: Robust cold-rolled steel body
 Size: 240*130*35mm
 Waterproof rating: IP55
 Application: Prison, bank, airport, school, metro, LRT, hotel, etc
 Features:
 *Without keypad, auto dial when pick up the handset
 *Wall mounted type installation
 *Handset with industrial strong armored cord
 *Color: Defaulted red, other colors support customized
 *Version: Analogue, VoIP, GSM optional



Vandal Proof Telephone

Model: KNZD-27LCD
 Material: Robust cold rolled steel body
 Size: 280*210*60mm
 Waterproof rating: IP55
 Application: Prison, bank, airport, school, metro, railway , LRT, hotel, etc
 Features:
 *Metal keypad keep waterproof and dusty proof
 *Vandal & tamper-resistant hardware, easy installation
 *Wall mounted type installation, with LCD display
 *Handset with industrial strong armored cord
 *Color: Defaulted gray, other colors support customized
 *Version: Analogue, VoIP optional



Public Telephone

Model: KNZD-07B
 Material: Stainless steel 304 body
 Size: 280*192*42mm
 Waterproof rating: IP55
 Application: Prison, bank, airport, school, metro, marine, hotel, etc
 Features:
 *Metal keypad keep waterproof and dusty proof
 *Vandal & tamper-resistant hardware, easy installation
 *Flush mounted type installation, LCD display optional
 *Handset with industrial strong armored cord
 *Version: Analogue and VoIP optional

Robust Telephone



Model: KNZD-07A
 Material: Stainless steel 304 body
 Size: 280*192*42mm
 Waterproof rating: IP55
 Application: Prison, bank, airport, school, marine, metro, railway, hotel, etc
 Features:
 *Metal keypad, waterproof and dusty proof, flat keypad optional
 *Vandal & tamper-resistant hardware, easy installation
 *Flush mounted type installation, LCD display optional
 *Handset with industrial strong armored cord
 *Version: Analogue and VoIP optional



Prison Telephone

Model: KNZD-10
 Material: Robust stainless steel body
 Size: 280*150*60mm
 Waterproof rating: IP55
 Application: Prison, bank, airport, school, metro, railway, hotel, etc
 Features:
 *Metal keypad keep waterproof and dusty proof
 *Vandal & tamper-resistant hardware
 *Wall mounted type installation
 *Handset with industrial strong armored cord
 *Version: Analogue and VoIP optional



Model: KNZD-09A (Highway Call Box)

Material: Robust cold-rolled steel body
 Size: 300*180*95mm
 Waterproof rating: IP66
 Application: Highway, speedway, school, park, bridge, railway, etc
 Features:
 *Hands-free one push button to call, keypad optional
 *Auto-answer and auto-hang up
 *Vandal & tamper-resistant hardware, easy installation
 *Wall mounted type installation
 *Color: Defaulted yellow, other colors support customized
 *Version: Analogue, VoIP, GSM optional



Model: KNZD-09A-1T2S (Emergency Telephone)

Material: Robust cold-rolled steel body
 Size: 300*180*95mm
 Waterproof rating: IP66
 Application: Highway, speedway, school, park, bridge, railway, etc
 Features:
 *With or without keypad, button optional
 *Wall mounted type installation
 *Handset with industrial strong armored cord
 *Color: Defaulted blue, yellow and other colors
 *Version: Analogue, VoIP, GSM optional



Model: KNZD-27 (Vandal Proof Telephone)

Material: Robust cold rolled steel body
 Size: 280*210*60mm
 Waterproof rating: IP55
 Application: Prison, bank, airport, school, metro, railway, hotel, etc
 Features:
 *Metal keypad keep waterproof and dusty proof
 *Wall mounted type installation, LCD display optional
 *Handset with industrial strong armored cord
 *Color: Defaulted red, blue, other colors support customized
 *Version: Analogue, VoIP, GSM optional



Model: KNZD-31 (Bank Telephone)

Material: Robust cold rolled steel body
 Size: 280*225*55mm
 Waterproof rating: IP55
 Application: Prison, bank, airport, school, metro, railway, hotel, etc
 Features:
 *Metal keypad keep waterproof and dusty proof
 *Wall mounted type installation
 *Handset with industrial strong armored cord
 *Color: Defaulted grey, yellow, support OEM
 *Version: Analogue and VoIP optional



Desktop Telephone

Model: KNZD-28
 Material: Robust cold rolled steel body
 Size: 240*100*100mm
 Waterproof rating: IP55
 Application: Tunnel, metro, railway, LRT, speedway, control room, etc
 Features:
 *Without keypad, audio dial when pick up the handset
 *Vandal & tamper-resistant hardware, easy installation
 *Desktop mounted type installation, keypad optional
 *Handset with industrial strong armored cord
 *Color: Defaulted red, other colors support customized
 *Version: Analogue and VoIP optional



Robust Intercom

Model: KNZD-29
 Material: Robust cold rolled steel body
 Size: 195*130*40mm
 Waterproof rating: IP55
 Application: Metro, LRT, airport, school, hotel, elevator, clean room, etc
 Features:
 *Hands-free one or two push button to call
 *Auto-answer and auto-hang up
 *Vandal & tamper-resistant hardware, easy installation
 *Wall mounted type installation
 *SUS304 material optional
 *Color: Defaulted yellow, other colors support customized
 *Version: Analogue and VoIP optional

Hotline Telephone



Model: KNZD-38
 Material: Robust cold rolled steel body
 Size: 340*220*90mm
 Waterproof rating: IP55
 Application: Metro, LRT, airport, school, hotel, elevator, smart city, bank, parking, etc
 Features:
 *Hands-free one push button to call
 *Auto-answer and auto-hang up
 *Vandal & tamper-resistant hardware, easy installation
 *Wall mounted type installation
 *Color: Defaulted red, support customized
 *Version: Analogue and VoIP optional



School Intercom

Model: KNZD-39
 Material: Robust cold rolled steel body
 Size: 366*189*60mm
 Waterproof rating: IP65
 Application: Metro, LRT, airport, school, hotel, elevator, bank, parking etc
 Features:
 *Hands-free one or two push button to call
 *Auto-answer and auto-hang up
 *Induction loop optional
 *Wall mounted type installation
 *Color: Defaulted yellow, support customized
 *Version: Analogue, VoIP, GSM optional



Model: KNEX1 (Intrinsically Safe Telephone)

Material: Robust aluminium alloy die-cast body
 Size: 227*293*135mm
 Waterproof rating: IP66
 Application: Oil& Gas, power plant, drilling platform, offshore, etc.
 Features:
 *IECEX certified, analogue version
 *Types of protection: Ex e ib mb I IC T6 Gb
 *SUS304 keypad keep waterproof and dusty proof
 *Vandal & tamper-resistant hardware, easy installation
 *Wall mounted type installation, with LCD display
 *Handset with industrial strong armored cord



Model: KNEX2 (Intrinsically Safe Telephone)

Material: Robust aluminium alloy die-cast body
 Size: 227*293*135mm
 Waterproof rating: IP66
 Application: Oil& Gas, power plant, drilling platform, offshore, etc.
 Features:
 *IECEX certified, analogue version
 Types of protection: Ex e ib mb I IC T6 Gb
 *Without keypad
 *Vandal & tamper-resistant hardware, easy installation
 *Wall mounted type installation
 *Handset with industrial strong armored cord



Model: KNEX5 (Flame Proof Telephone)

Material: Sheet molding compound (SMC)
 Size: 278*349*161mm
 Waterproof rating: IP66
 Application: Oil& Gas, power plant, drilling platform, offshore, etc.
 Features:
 *ATEX certified
 *Types of protection: II 2G Ex db ib IIB T5 Gb
 *Full metal keypad with memory, with external sounder D20
 *Wall mounted type installation
 *Handset with industrial strong armored cord
 *Version: Analogue



Model: KNEX6 (Flame Proof Telephone)

Material: Sheet molding compound (SMC)
 Size: 278*349*161mm
 Waterproof rating: IP66
 Application: Oil& Gas, power plant, drilling platform, offshore, etc.
 Features:
 *ATEX certified
 *Types of protection: II 2G Ex db ib IIB T5 Gb
 *Full keypad with memory, broadcasting telephone with series and speaker
 *Wall mounted type installation
 *Handset with industrial strong armored cord
 *Version: Analogue

Flame Proof Telephone

Model: KNEX7
 Material: Robust aluminium alloy die-cast body
 Size: 278*349*161mm
 Waterproof rating: IP66
 Application: Oil& Gas, power plant, drilling platform, offshore, etc.
 Features:
 *ATEX certified
 *Types of protection: II 2G Ex db ib IIB T5 Gb
 *Full keypad with memory, with series and sounder D21
 *Vandal & tamper-resistant hardware, easy installation
 *Wall mounted type installation
 *Handset with industrial strong armored cord
 *Version: VoIP



Flame Proof Telephone

Model: KNEX8
 Material: GRP material by die casting
 Size: 278*349*161mm
 Waterproof rating: IP66
 Application: Oil& Gas, power plant, drilling platform, offshore, etc.
 Features:
 *ATEX certified
 *Types of protection: II 2G Ex db ib IIB T5 Gb
 *Full keypad with memory, broadcasting telephone with series D21 and speaker
 *Wall mounted type installation
 *Handset with industrial strong armored cord
 *Version: VoIP



Fire Alarm Telephone

Model: KNZD-41
 Material: Stainless steel 304 body
 Size: 700*430*300mm
 Waterproof rating: IP66
 Application: Tunnel, metro, railway, speedway, marine, offshore, etc
 Features:
 *Full metal keypad with memory, with alarm sounder beacon
 *Vandal & tamper-resistant hardware, easy installation
 *Handset with industrial strong armored cord
 *Magnetic reed hook-switch
 *Version: Analogue and VoIP optional



Fire Alarm Telephone

Model: KNZD-46
 Material: Robust cold rolled steel body
 Size: 320*205*120mm
 Waterproof rating: IP66
 Application: Tunnel, metro, railway, speedway, marine, offshore, etc
 Features:
 *Full metal keypad with memory, with alarm sounder beacon
 *Vandal & tamper-resistant hardware, easy installation
 *Handset with industrial strong armored cord
 *Magnetic reed hook-switch
 *Version: Analogue and VoIP optional





Model: RF-11 (Telephone Roof)

Material: Acrylic plexiglass
 Size: 600*500*340mm
 Waterproof rating: IP66
 Application: Widely used in noisy areas and harsh environments
 Features:
 *High transparency, light transmittance
 *Easy to clean and maintain, wall mounted and pole mounted optional
 *Defaulted color blue, other colors OEM available
 *Durable, lightweight, chemical resistant body
 *Can be used both indoors, outdoors and offshore
 *UV resistant, suitable for harsh environments



Model: RF-12 (Telephone Booth)

Material: Robust glass reinforced plastic (GRP)
 Size: Big:725*610*325mm/ Small:700*580*315mm
 Waterproof rating: IP66
 Application: Widely used in noisy areas and harsh environments
 Features:
 *Noise reduction 10~14dB, wall mounted and pole mounted optional
 *Defaulted color yellow, other colors OEM available
 *Durable, lightweight, chemical resistant body
 *Can be used both indoors, outdoors and offshore
 *Two suits in one carton to save shipping
 *UV resistant, suitable for harsh environments



Model: RF-13 (Industrial Telephone Hood)

Material: Robust glass reinforced plastic (GRP)
 Size: 950*700*610mm
 Waterproof rating: IP66
 Application: Widely used in noisy areas and harsh environments
 Features:
 *TUV certified
 *Noise reduction 23~25dB, wall mounted and pole mounted optional
 *Defaulted color yellow, other colors OEM available
 *Fire retardant, UV resistant and suitable for harsh environment
 *4 layers of different sound insulation cotton and other materials
 *Cold rolled steel or SUS304 mounting plate and bracket available



Model: RF-14 (Outdoor Telephone Hood)

Material: Robust glass reinforced plastic (GRP)
 Size: Big:790*740*560mm/ Small:785*725*585mm
 Waterproof rating: IP66
 Application: Widely used in noisy areas and harsh environments
 Features:
 *Noise reduction 10~14dB, wall mounted and pole mounted optional
 *Defaulted color yellow, other colors OEM available
 *Durable, lightweight, chemical resistant body
 *Can be used both indoors, outdoors and offshore
 *Two suits in one carton to save shipping
 *UV resistant, suitable for harsh environments



Acoustic Hood

Model: RF-13A
 Material: Robust glass reinforced plastic (GRP)
 Size: 950*700*610mm
 Waterproof rating: IP66
 Application: Widely used in noisy areas and harsh environments
 Features:
 *TUV certified
 *Noise reduction 23~25dB
 *Defaulted color yellow, other colors OEM available
 *Wall mounted and pole mounted optional
 *Fire retardant, UV resistant and suitable for harsh environment
 *4 layers of different sound insulation cotton and other materials
 *Cold rolled steel or SUS304 mounting plate and bracket available



Telephone Hood

Model: RF-16
 Material: Robust glass reinforced plastic (GRP)
 Size: 800*690*610mm
 Waterproof rating: IP66
 Application: Widely used in noisy areas and harsh environments
 Features:
 *TUV certified
 *Noise reduction 23~25dB
 *Defaulted color yellow, other colors OEM available
 *Wall mounted and pole mounted optional
 *Fire retardant, UV resistant and suitable for harsh environment
 *4 layers of different sound insulation cotton and other materials
 *Cold rolled steel or SUS304 mounting plate and bracket available



Acoustic Telephone Hood

Model: RF-26
 Material: Robust glass reinforced plastic (GRP)
 Size: 950*700*610mm
 Waterproof rating: IP66
 Application: Widely used in noisy areas and harsh area
 Features:
 *TUV certified
 *Noise reduction 23~25dB
 *Defaulted color yellow, other colors OEM available
 *UV resistant and suitable for harsh environment
 *Wall mounted and pole mounted optional
 *4 layers of different sound insulation cotton and other materials
 *Cold rolled steel or SUS304 mounting plate and bracket available



Acoustic Booth

Model: RF-19
 Material: Robust glass reinforced plastic (GRP)
 Size: 2000*1000*1000mm
 Waterproof rating: IP66
 Application: Widely used in noisy areas and harsh area
 Features:
 *TUV certified
 *Fire retardant
 *Noise reduction up to 40dB
 *UV resistant and suitable for harsh environment
 *Defaulted color yellow, other colors OEM available
 *4 layers of sound insulation cotton and other materials



Model: IPMG-260 (SIP Amplifier 80W/ 130W/ 260W)
Material: Rugged stainless steel 304 body
Size: 484*359*132mm
Features:
 *VoIP SIP 2.0 amplifier self-diagnosis.
 *Up to 4 simultaneous and independent audio channels per unit
 *Up to 8 integrated, selectively addressable speaker circuits
 *Integrated speaker line monitoring
 *100~276V AC powered
 *Intelligent N+1 backup control
 *Freely programmable



Explosion Proof Speaker 5W/10W
Model: KNLB-EX5/ KNLB-EX10
Material/Colour: Robust anti-static polyamide/ Black
Application: Oil& Gas, power plant, drilling platform, offshore, petroleum, metallurgy, chemical industry etc
Features:
 *ATEX certified
 *Service temperature range from -40 °C to +55°C
 *II 2GD Ex db eb mb IIC T5 Gb, II 2D Ex tb IIIC T100°C Db
 *AC impedance 8Ω, fixed resistance without transformer
 *For use public address and paging application



Explosion Proof Speaker 15W/30W
Model: KNLB-EX15/ KNLB-EX30
Material/Colour: Robust anti-static polyamide/ Black
Application: Oil& Gas, power plant, drilling platform, offshore, petroleum, metallurgy, chemical industry etc
Features:
 *ATEX certified
 *Service temperature range from -40 °C to +55°C
 *II 2GD Ex db eb mb IIC T5 Gb, II 2D Ex tb IIIC T100°C Db
 *AC impedance 8Ω, fixed resistance without transformer
 *For use public address and paging application



Explosion Proof Speaker 5/10/15/30W
Model: KNLB-EX30Y
Material/Colour: Robust anti-static polyamide/ Black
Application: Oil& Gas, power plant, drilling platform, offshore, petroleum, metallurgy, chemical industry etc
Features:
 *ATEX certified
 *Service temperature range from -40 °C to +55°C
 *II 2GD Ex db eb mb IIC T5 Gb, II 2D Ex tb IIIC T100°C Db
 *With built-in audio transformer, 70/100 voltage type power amplifier application



SIP Horn Speaker 7W

Model: KNSIPSP-L4
Material/Colour: Robust plastic/ White
Size: 263*182*125mm
Waterproof rating: IP66
Application: School, factory, power plant, buildings etc
Features:
 *One way audio stream
 *Built-in 7W class D amplifier
 *PoE powered
 *Max sound pressure level >92dB
 *For use public address and paging application



SIP Ceiling Speaker 7W

Model: KNSIP-L9
Material/Colour: Robust cold rolled steel
Size: 240*156mm
Waterproof rating: IP55
Application: School, factory, power plant, buildings etc
Features:
 *One way audio stream
 *Built-in 7W class D amplifier
 *PoE powered
 *Max sound pressure level >92dB
 *For use public address and paging application



SIP Column Speaker 7W

Model: KNSIPSP-L7
Material/Colour: Robust cold rolled steel
Size: 500*160*120mm
Waterproof rating: IP55
Application: School, factory, power plant, buildings etc
Features:
 *One way audio stream
 *Built-in 7W class D amplifier
 *PoE powered
 *Max sound pressure level >92dB
 *For use public address and paging application

SIP Column Speaker 30W

Model: KNSIPSP-L8
Material/Colour: Robust cold rolled steel
Size: 500*160*120mm
Waterproof rating: IP55
Application: School, factory, power plant, buildings etc
Features:
 *One way audio stream
 *Built-in 7W class D amplifier
 *AC:110V~240V powered
 *Max sound pressure level >95dB
 *For use public address and paging application



Model: KNDDT-A17 (Audio Operator Console)
 Material: Galvanized steel plate aluminum alloy body
 Size: 500*286*48mm
 Application: Tunnel, metro, railway, LRT, etc control room
 Features:
 *17.3 Inch touch screen dispatching station desktop mounted
 *With gooseneck microphone
 *Working with Web-based login KNTech IP PBX
 *DC 12V 7A power adapter, ACC220V input
 *VGA interface,HDMI interface
 *1*RJ45, 4*USB, 2*phone LAN, 1*audio



Model: KNDDT-2-A21 (Audio Operator Console)
 Material: Galvanized steel plate aluminum alloy body
 Size: 480*242*89mm
 Application: Tunnel, metro, railway, LRT, etc control room
 Features:
 *21 Inch touch screen dispatching station desktop mounted
 *With two handsets
 *Working with Web-based login KNTech IP PBX
 *DC 12V 7A power adapter, ACC220V input
 *VGA interface,HDMI interface
 *1*RJ45, 4*USB, 2*phone LAN, 1*audio



Model: KNDDT-1-AV15 (Audio Video Operator Console)
 Material: Galvanized steel plate aluminum alloy body
 Size: 480*242*89mm
 Application: Tunnel, metro, railway, LRT, etc control room
 Features:
 *15.6 Inch touch screen dispatching station desktop mounted
 *With built-in HD video camera
 *Working with Web-based login KNTech IP PBX
 *DC 12V 7A power adapter, ACC220V input
 *VGA interface,HDMI interface
 *1*RJ45, 4*USB, 2*phone LAN, 1*audio



Model: KNDDT-2-AV21 (Audio Video Operator Console)
 Material: Galvanized steel plate aluminum alloy body
 Size: 480*242*89mm
 Application: Tunnel, metro, railway, LRT, etc control room
 Features:
 *21 Inch touch screen dispatching station desktop mounted
 *With built-in HD video camera
 *Working with Web-based login KNTech IP PBX
 *DC 12V 7A power adapter, ACC220V input
 *VGA interface,HDMI interface
 *1*RJ45, 4*USB, 2*phone LAN, 1*audio



IP PBX

Model: KNTD-50
 Material: Galvanized steel plate aluminum alloy body
 Size: 482.6*340*44.5mm
 Application: Tunnel, metro, railway, LRT, highway, control room
 Features:
 *Supports up to 50 users, 10 SIP trunk accounts, up to 10 concurrent calls
 *Using RJ45 Gigabit interface
 *Built-in call recording server, accessed via web user interface
 *Supports any SIP2.0 video endpoint that using the H.264
 *Host standby N+1 redundancy system design
 *Desktop or cabinet installation
 *Can be up to 5,000 lines



SIP Server

Model: KNTD-100
 Material: Galvanized steel plate aluminum alloy body
 Size: 482.6*340*44.5mm
 Application: Tunnel, metro, railway, LRT, highway, control room
 Features:
 *Supports up to 100 users, 10 SIP trunk accounts, up to 20 concurrent calls
 *Using RJ45 Gigabit interface
 *Built-in call recording server, accessed via web user interface
 *Supports any SIP2.0 video endpoint that using the H.264
 *Host standby N+1 redundancy system design
 *Desktop or cabinet installation
 *Can be up to 5,000 lines

Network Management System

Model: NMS-X1
 Material: Galvanized steel plate aluminum alloy body
 Size: 482.6*340*44.5mm
 Application: Tunnel, metro, railway, LRT, highway, control room
 Features:
 *Displays the network topology
 *Remote industrial management
 *Remote web page management
 *Port status monitoring and analysis
 *Fault diagnosis and alarm
 *Simplify network device management
 *Batch equipment configuration and upgrade management
 *Trunking gateway: Interface to trunking radio system
 *SIP protocol & SDK: Interface to other SKADA system



Multimedia Storage Server

Model: KNREC-SV8
 Material: Galvanized steel plate aluminum alloy body
 Size: 482.6*340*44.5mm
 Application: Tunnel, metro, railway, LRT, speedway, highway, control room
 Features:
 *Remote WEB interface login access and management
 *30/60/180 days of rolling storage
 *2T, 4T, 6T up to 40T optional
 *Recording media files remotely play, download, delete, view, search, batch file management
 *Recording expansion:USB or 2.5 inch SATA hard drive
 *Support redundancy and interlinked with each other
 *Desktop or cabinet installation



Model: KNPL-700 (High-end IP telephone)
 Material: Plastic body waterproof IP55
 Size: 227*250.8*85.1mm
 Waterproof rating: IP55
 Application: Metro, LRT, airport, school, hotel, control room, etc
 Features:
 *4.3 Inches colorful screen
 *6 SIP Line tripartite conference
 *HD sound quality. (handset and speaker)
 *Megabytes double Network port, POE powered
 *Support EHS earphone



Model: KNPL-700Plus (High-end IP telephone)
 Material: Plastic body waterproof IP55
 Size: 227*352.1*85.1mm
 Application: Metro, LRT, airport, school, hotel, control room, etc.
 Features:
 *4.3 Inches colorful screen
 *6 SIP Line tripartite conference
 *HD sound quality. (handset and speaker)
 *Megabytes double Network port, POE powered
 *With dual 3.5-Inches DSS screens with digital BLF keys
 *Support EHS earphone



Model: KNPL-800 (Smart Video IP Phone)
 Material: Plastic body waterproof IP55
 Size: 227*250.8*85.1mm
 Application: Metro, LRT, airport, school, hotel, control room, etc
 Features:
 *7.2 Inches colorful screen
 *6 SIP Line tripartite conference
 *HD sound quality. (handset and speaker)
 *Megabytes double Network port, DC12V powered
 *Inner Bluetooth function
 *Support EHS earphone, H.264 video decoding



Model: KNPL-800Plus (Smart Video IP Phone)
 Material: Plastic body waterproof IP55
 Size: 227*352.1*85.1mm
 Application: Metro, LRT, airport, school, hotel, control room, etc.
 Features:
 *7.2 Inches colorful screen
 *6 SIP Line tripartite conference
 *HD sound quality. (handset and speaker)
 *Megabytes double Network port, DC12V powered
 *With dual 3.5-Inches DSS screens with digital BLF keys
 *Support EHS earphone, H.264 video decoding



Office IP Telephone

Model: KNPL-500
 Material: Plastic body
 Size: 227*250.8*85.1mm
 Waterproof rating: IP55
 Application: Metro, LRT, airport, school, hotel, control room, etc
 Features:
 *128*48mm LCD display
 *6 SIP Line tripartite conference
 *HD sound quality. (handset and speaker)
 *Megabytes double Network port, POE powered
 *Support EHS earphone



Control Room IP Microphone

Model: KNPL-700MPlus
 Material: Plastic body
 Size: 227*352.1*85.1mm
 Waterproof rating: IP55
 Application: Metro, LRT, airport, school, hotel, control room, etc.
 Features:
 *4.3 Inches colorful screen
 *6 SIP Line tripartite conference
 *HD sound quality. (handset and speaker)
 *Megabytes double Network port, POE powered
 *With dual 3.5-Inches DSS screens with digital BLF keys
 *Support EHS earphone
 *With external gooseneck microphone

Unify IP PABX

Model: KNUC-50
 Material/Colour: Robust cold-rolled steel/ Black
 Size: 413*254*277mm
 Key Component of IP Telephony & Unified communications
 Open hardware platform based-on X86 with KNTech IP PABX software
 Perfect for vertical markets
 Voice, Fax, Modem & POS
 Up to 10 interface boards, Hot swappable
 Up to 16 E1/T1 ports
 Up to 80 FXS/FXO ports
 Up to 40 GSM/LTE ports
 Redundant Power Supplies



Unify IP PABX 100 Extension Lines

Model: KNUC-100
 Material/Colour: Robust cold-rolled steel/ Black
 Size: 413*254*277mm
 Key Component of IP Telephony & Unified communications
 Open hardware platform based-on X86 with KNTech IP PABX software
 Perfect for vertical markets
 Voice, Fax, Modem & POS
 Up to 10 interface boards, Hot swappable
 Up to 16 E1/T1 ports
 Up to 80 FXS/FXO ports
 Up to 40 GSM/LTE ports
 Redundant Power Supplies



Model: KNZD-09A-SC5 (Highway Call Box)
 Material: Robust cold rolled steel body waterproof IP66
 Size: 300*180*95mm, 1622*517*220mm for the pole stand
 Application: Highway, speedway, school, park, bridge, railway, etc
 Features:
 *Hands-free one push button to call, with keypad optional
 *Vandal & tamper-resistant hardware, easy installation
 *Built-in loud speaker, noise canceling microphone
 *Rechargeable solar battery and solar panel optional
 *Defaulted yellow color, orange, blue, red, etc optional
 *Version: Analogue, VoIP, GSM optional



Model: KNEM-21 (Emergency Telephone Station)
 Material: Robust cold rolled steel body waterproof IP66
 Size: 250*200*2770mm
 Application: Highway, speedway, school, park, bridge, railway, etc
 Features:
 *Hands-free one push button to call, with keypad optional
 *Vandal & tamper-resistant hardware, easy installation
 *Built-in loud speaker, noise canceling microphone
 *Defaulted red color, yellow, blue, grey, etc optional
 *Fast-fit base mount
 *Version: Analogue, VoIP, GSM optional



Model: KNEM-23 (Emergency Roadside Telephone)
 Material: Robust cold rolled steel body waterproof IP66
 Size: 200*250*2300mm
 Application: Highway, speedway, school, park, bridge, railway, etc
 Features:
 *Hands-free one push button to call, with keypad optional
 *Vandal & tamper-resistant hardware, easy installation
 *Built-in loud speaker, noise canceling microphone
 *Incoming call and outgoing call lamp indicator
 *Small lamp is on at night and off during daytime
 *Version: Analogue, VoIP, GSM optional



Model: KNEM-25 (Blue Light Station)
 Material: Stainless steel 304 body waterproof IP66
 Size: 810*205*210mm
 Application: Tunnel, highway, school, park, bridge, railway, etc
 Features:
 *Hands-free one or two buttons optional, with keypad optional
 *Vandal & tamper-resistant hardware, easy installation
 *Built-in loud speaker, noise canceling microphone
 *Incoming call and outgoing call lamp indicator
 *Small lamp is on at night and off during daytime
 *Version: Analogue, VoIP, GSM optional



Emergency Telephone Tower
 Model: KNEM-26
 Material: Robust cold rolled steel body waterproof IP66
 Size: 310*255*2200mm
 Application: Highway, speedway, school, park, bridge, railway, etc
 Features:
 *Hotline auto dial once pick up the handset
 *Vandal & tamper-resistant hardware, easy installation
 *Built-in loud speaker, noise canceling microphone
 *Magnetic reed hook-switch
 *Handset with industrial strong armored cable
 *Defaulted red color, yellow, blue, grey, etc optional
 *Fast-fit base mount
 *Version: Analogue, VoIP, GSM optional



Emergency Call Station
 Model: KNEM-28
 Material: Robust cold rolled steel body waterproof IP66
 Size: 2490*230*260mm
 Application: Highway, speedway, school, park, bridge, railway, etc
 Features:
 *Hands-free one push button to call, with keypad optional
 *Vandal & tamper-resistant hardware, easy installation
 *Built-in loud speaker, noise canceling microphone
 *Incoming call and outgoing call lamp indicator
 *Small lamp is on at night and off during daytime
 *Defaulted black color, yellow, blue, grey, etc optional
 *Fast-fit base mount
 *Version: Analogue, VoIP, GSM optional



Solar Powered Telephone
 Model: G2000
 Material: Robust cold rolled steel body die-cast body waterproof IP66
 Size: 2200*310*255mm
 Application: Highway, speedway, school, park, bridge, etc
 Features:
 *Hands-free one push button to call, with keypad optional
 *Vandal & tamper-resistant hardware, easy installation
 *Built-in loud speaker, noise canceling microphone
 *With rechargeable solar battery and two solar panel
 *Defaulted red color, yellow, blue, grey, etc optional
 *Fast-fit base mount
 *Version: Analogue, VoIP, GSM optional



Solar Powered Telephone
 Model: G3000
 Material: Robust cold rolled steel body die-cast body waterproof IP66
 Size: 2200*310*255mm
 Application: Highway, speedway, school, park, etc
 Features:
 *Hands-free one push button to call, keypad optional
 *Vandal&tamper-resistant hardware, easy installation
 *Built-in loud speaker, noise canceling microphone
 *With rechargeable solar battery and solar panel
 *Defaulted yellow color, red, blue, grey, etc optional
 *Fast-fit base mount
 *Version: Analogue, VoIP, GSM optional



Model: KNZD-68 (SIP Door Intercom)
Material: Aluminium alloy die-cast body stainless steel face plate
Size: 133*130*82.5mm
Waterproof rating: IP55
Application: Villa, school, security room, door gate, parking lot etc.
Features:
*Handsfree intercom one push button to call
*Auto answer and auto hang up
*Wall mounted type installation
*Remote open the door lock
*Version: Analogue and VoIP optional



Model: KNZD-13 (SIP Call Box)
Material: Robust cold-rolled steel body
Size: 170*130*40mm
Waterproof rating: IP55
Application: Metro, airport, school, bank, elevator, etc
Features:
*Hands-free one push button to call
*Auto-answer and auto-hang up
*Wall mounted type installation
*Color: Defaulted red, other colors support customized
*Version: Analogue, VoIP, GSM optional



Model: KNZD-43A (Robust Audio Intercom)
Material: Aluminium alloy die-cast body stainless steel face plate
Size: 235*131*78.7mm
Waterproof rating: IP55
Application: Villa, school, security room, door gate, parking lot etc.
Features:
*Handsfree intercom with keypad to free dial
*Auto answer and auto hang up
*Vandal & tamper-resistant hardware, easy installation
*Remote open the door lock
*Version: VoIP



Model: KNZD-45A (Handsfree Intercom)
Material: Aluminium alloy die-cast body stainless steel face plate
Size: 235*131*78.7mm
Waterproof rating: IP55
Application: Villa, school, security room, door gate, parking lot etc.
Features:
*Handsfree one push button to call
*Auto answer and auto hang up
*Vandal & tamper-resistant hardware, easy installation
*Remote open the door lock
*Version: VoIP



IP Video Station

Model: KNZD-47A
Material: Robust aluminium alloy die-cast body stainless steel face plate
Size: 235*131*78.7mm
Waterproof rating: IP55
Application: Villa, school, security room, door gate, parking lot etc.
Features:
*Handsfree one push button to call
*Auto answer and auto hang up
*Vandal & tamper-resistant hardware, easy installation
*With night version HD camera
*Remote open the door lock
*Version: VoIP



Video RFID Doorphone

Model: KNZD-51
Material: Robust aluminium alloy die-cast body stainless steel face plate
Size: 235*131*78.7mm
Waterproof rating: IP55
Application: Villa, school, security room, door gate, parking lot etc.
Features:
*Handsfree intercom with keypad to free dial
*Auto answer and auto hang up
*Support RFID card
*Vandal & tamper-resistant hardware, easy installation
*Remote open the door lock
*Version: VoIP

SIP Video Intercom

Model: KNZD-52V
Material: Robust aluminium alloy die-cast body and stainless steel face plate
Size: 235*131*78.7mm
Waterproof rating: IP55
Application: Villa, school, office, security room, door gate, parking lot etc.
Features:
*Handsfree intercom with keypad and RFID card
*Auto answer and auto hang up
*Tamper-resistant hardware, easy installation
*With night version HD camera
*Remote open the door lock
*Version: VoIP



SIP Video Intercom

Model: KNZD-58V
Material: Robust aluminium alloy die-cast body and stainless steel face plate
Size: 235*131*78.7mm
Waterproof rating: IP55
Application: Villa, school, office, security room, door gate, parking lot etc.
Features:
*Handsfree intercom with keypad, fingerprint access
*Auto answer and auto hang up
*Tamper-resistant hardware, easy installation
*With night version HD camera
*Remote open the door lock
*Version: VoIP

